

Fersa
Bearings

NKE
BEARINGS

A&S
Automotive
Solutions

Agricultural Industry

Solutions for Tractors
& Implements



FERSAGROUP

Bearings for every agricultural machinery, from tractors, to trailers and implements



The contents of this publication are the copyright of Fersa Bearings and may not be reproduced (even extracts) unless prior written permission is granted. Every care has been taken to ensure the accuracy of the information contained in this publication but no liability for any loss or damage whether direct, indirect or consequential arising out of the use of the information contained herein.

Despite our best efforts to ensure the accuracy of the information contained in this document, errors or omissions cannot be completely ruled out. We disclaim any and all responsibility for such unintentional errors or omissions.

Index

Fersa Group	4
Tractor	6
P6X Bearings	
Clutch Bearings	
Bearings for drivertrain	
Trailer	8
Tapered Roller Bearings	
Wheel End Hubs	
Tillage	9
Agri Units for Disc Harrows	
Bearings for Rotary Harrows	
Sow	10
Agri Units for Seeding Disc Solutions	
Harvesting	11
Agri Units for Mechanical Weed Control	
Housing Units	
Insert Bearings	
General Application	14
Cross Part Number	16



Fersa Group

Your partner in the field

Fersa Group is an international bearing manufacturer for industrial, automotive and agricultural applications.

It gathers three brands: Fersa Bearings, NKE Bearings and A&S Bearings. Together we have more than 80 years of experience in design, production and distribution of high quality bearings. We have the perfect solution to fulfill your needs and exceed your expectations.

Fersa
Bearings

NKE
BEARINGS

A&S
Automotive Solutions

Multinational Presence +100 countries

The group is present in the five continents with four state-of-the-art manufacturing plants, eight logistic centers as well as four R&D facilities, two in Europe and two in Asia. We have local presence in more than 100 countries.



Agricultural Value

Built to last

Robust and reliable bearing solutions for long-lasting operation of your agricultural machinery.

The best warranty for your investment

Contamination, moisture, vibration and shock loads are just some of the factors which agricultural components have to deal with, bringing considerable challenges for all mechanical parts. The quality of our products meets the highest European Standards and guarantees the best performance in your applications.

Expert technical knowledge

Expert technicians in the field.

Crossed references with OEM's and competitors.

Proved OEM Expertise.

Market Fit

Specific products adapted to any application of each market.



Tractor



P6X Bearings

Restricted tolerances for the highest precision

Advantages:

- Restricted tolerances in height.
 - ⊖ Assembly Time
 - ⊕ Accuracy

31312 F P6X

32220 F P6X

32222 F P6X



Bearing Clutch

High performance for the highest efficiency

Advantages:

- Self-aligning types of ball bearings
- Reduced vibration
- Long lasting products

F 15140

F 15141

F 18040



Bearings for Drivetrain

We have gained the trust of the main axle manufacturers worldwide

Gearbox

Advantages:

- Wide range of tapered roller bearings, ball bearings and needle bearings for both standard and special series.
- ZF OEM supplier.
- Bespoke solutions to meet your needs.

AGCO, ZF Gearbox 3MD30

6307 NR	6208
NJ 309 FM	6311 C3
6010	6211Z NR
6211 C3	6206 2RS
LM 67048/LM 67010	6308 2RS
6309	+ more items on our website



Differential

Advantages:

- Wide range of tapered and cylindrical roller bearings.
- High performance bearings, with restricted tolerances.
- Pinion bearings specialists

Valtra Differential

John Deere Harvester

LM 501349/LM 501310	30308
M 802048/M 802011	30210
31308	
32208	

+ more items on our website





Tapered Roller Bearings

Most complete bearing range for trailer wheels

Advantages:

- Features adapted to every market



33116	32219	33018
32310	33215	33020
33118	32314	33021
33213	HM 21824 8/HM 218410	33114
32222	32218	33122

+ more items on our website

Wheel end hubs

OEM quality in the field

Advantages:

- Quick assembly
- Greased for life
- Axial clearance factory pre-set
- Maintenance free



F 15100
F 15125
F 15434

Agri units for disc harrows

Robust solution for all soil types

Advantages:

- High carrying capacity and high performance within compact dimensions.
- Preloaded for stability.
- High quality grease and multiple sealing layers for increased longevity.
- Ready to mount and maintenance free.
- Special coating for increased corrosion resistance.
- Adaptable to customer requirements.

ACB0600 SERIES



Bearings for rotary harrows

For the finest work in rocky and hard soils

Advantages with deep groove ball bearings:

Wide range of products available. Custom made types with improved seal performance (heavy duty seal, felt rings, etc.), sophisticated grease for agricultural applications and additional geometric features available on request. Ready to mount, no setting required.

6.000 SERIES

Advantage with tapered roller bearings:

- Wide range of metric and inch tapers.
- Bearings withstand combined loads (axial and radial).
- Easy installation, separable bearing.

30.000 SERIES





Agri units for seeding disc solutions

Our Maintenance-free solution for high carrying capacity

Advantages:

- High carrying capacity within compact dimensions.
- Preloaded and ready to mount.
- Low friction ensures proper disc rotation
- Pregreased and maintenance free.
- Special coating for increased corrosion resistance.
- Adaptable to customer requirements.

ACB0300 SERIES




Agri units for mechanical weed control

Stop the growth of grasses and weeds

Advantages:

- High carrying capacity within compact dimensions.
- Preloaded and ready to mount.
- Low friction ensures proper disc rotation
- Pregreased and maintenance free.
- Special coating for increased corrosion resistance.
- Adaptable to customer requirements.

ACB0415



Housing units

The best performance under any circumstance

Advantages:

- Various flange designs.
- 3 lips sealing + protective cap.
- 2 options: Re-greaseable/non re-greaseable.
- Heavy duty-high tensile strength housing material on request.



FLCTE25-MON	RCJTY25-N-MON	SG124207-MON
GLCTE25-MON	RCJTY30-N-MON	SG124310-MON
GLCTE30-N-MON	RCJTY35-N-MON	SG124405
PASE30-N-MON	RCJTY40-N-MON	SG124505
PASEY30-N-MON	RCJTY50-N-MON	SG124607
PASEY40-N-MON	RCJY20-N-MON	SG124707
PME30-N-MON	RCJY25-N-MON	SG124807
PME35-N-MON	RCJY30-N-MON	SG124908
PME40-N-MON	RCJY35-N-MON	SG125010
PME50-N-MON	RCJY40-N-MON	SG125112
RASE50-N-MON	RCJY45-MON	SG125212
RASEY20-N-MON	RCJY50-N-MON	SG125306
RASEY25-N-MON	RCJY60-N-MON	SG125408
RASEY30-N-MON	RMEY35-N-MON	SG125508
RASEY35-N-MON	RMEY40-N-MON	SG125610
RASEY40-N-MON	RNA4906-MRO	SG125711
RASEY45-MON	SG118608	SG125812
RASEY50-N-MON	SG118710-A	SG125912
RASEY60-N-A-MON	SG118811-A	SG126012
RASEY60-N-MON	SG119207-A	
RCJTY20-N-MON	SG124106-MON	

Insert bearings

Safety and durability guarantee

Advantages:

- Lubrication holes and Groove in the outer ring that helps lubrication in the final application.
- Triple lip seals to protect the bearing and extend its life.
- Restricted tolerances bearings for optimal installation.



Insert Bearing with RSR seals

UC204	UC213	GY 1100 KRRB
UC205	UC214	GY 1108 KRRB
UC206	UC215	UC214
UC207	UC216	UC215
UC208	UC207-20	UC216
UC209	UC208-24	UC207-20
UC210	UC201	UC208-24
UC211	UC211-32	UC201
UC212	UCX07-23	

Insert Bearing with R seals and eccentric locking collar

G206 V22 3L	GE 45 KRRB 3L	GNE 50 KRRB 3L
GE 25 KRRB 3L	GE 50 KRRB 3L	GNE 60 KRRB 3L
GE 30 KRRB 3L	GE 55 KRRB 3L	GNE 70 KRRB 3L
GE 35 KRRB 3L	GE 60 KRRB 3L	
GE 40 KRRB 3L	GNE 30 KRRB 3L	

Insert Bearing with P seals and eccentric locking collar

GRAE 20 NPPB 3L	GRAE 35 NPPB 3L	GRAE 50 NPPB 3L
GRAE 25 NPPB 3L	GRAE 40 NPPB 3L	GRAE 55 NPPB 3L
GRAE 30 NPPB 3L	GRAE 45 NPPB 3L	GRAE 60 NPPB 3L

Disc Harrow Bearings

W 208 PPB5
W 211 PPB3



General Application

Quality and safety are key in the field and you should make the most of your machinery. That is why our bearing solutions fulfill all agricultural needs with a wide range of products suitable for both, the most demanding applications and also the simplest ones.

Bearing expertise at your disposal

Cylindrical roller bearings

STANDARD
SPECIAL



Spherical roller bearings

STANDARD
SPECIAL



Needle roller bearing

STANDARD
SPECIAL



Universal joint cardan

STANDARD
SPECIAL



Tapered roller bearings

METRIC
INCHES
STEERING
SPECIAL
U-TYPE
THRUST



Ball bearings

DEEP GROOVE
SPECIAL
THRUST
ANGULAR CONTACT
4POINTS



Insert bearings

STANDARD
SPECIAL



OEM	FERSAGROUP
VALMET	
610060094	6009 2RS/C3
LA1184	6208 2RS/C3
LA1986	6014 2RS/C3
VALTRA	
21010	6013 2RS
21886	HM 89449/HM 89410
21946	6215 NR/C3
21989	NU 1008 FM
23224	NJ 305 F
36397	M 86649/M 86610
40923	33205
40927	32007 X
61223	31307
164481	F 15141
195175	T 126
195494	6010 Z
195498	6009 NR
195507	6211 Z NR
210051	6312 2RS
265150	42381/42584
440850	419/414
440860	JHM 807045/JHM 807012
440870	JLM 813049/JLM 813010
488952	6203 2RS/C3
593200	29685/29620
645695	2580/2523
655662	469/453 X
814730	HM 903249/HM 903210
814750	HM 218248/HM 218210
814760	580/572 X
834218	6011
882554	3780/3720
888860	HM 905843/HM 905810
895322	LM 11949/LM 11910
899377	RMS 9 2RS/C4
1440596	NJ 210 FM/C3
1850909	37425/37625
1851392	395 A/394 A
1851533	3984/3920
1851800	LM 48548/LM 48510
1881931	27687/27620
2710095	11 BC
2710096	13 C
2710097	14 XS
2710396	35 BC
3001717	32008 X
3003372	NUP 211 FM/C3
3009851	33209 F
3009853	32010 X
3176192	LM 603049/LM 603011
3176708	386 A/382 A
3176712	M 84548/M 84510
3410432	6210 ZZ NR
3585341	F 18031
3587730	F 19030
9832270	32216
24903780	32006 X
30208110	F 15140
34057600	32011 X
47127081	6015 2RS
80173000	JL 819349/JL 819310
80173600	32205
80322800	M 88048/M 88010
80322900	M 802048/M 802011
80450644	6310 2RS
80561200	37431 A/37625
80568600	30210
80638600	HM 803149/HM 803110

OEM	FERSAGROUP
80638700	HM 88649/HM 88610
80841500	NUP 206 FM
80900300	HM 801346/HM 801310
80900500	HM 807049/HM 807010
80901100	387 A/382 A
80907600	JP 12049 A/10
81214600	NU 310 FM
81321600	NU 309 FM
81322700	QJ 309 FM
82774500	HM 89446/HM 894410
83325400	33287/33462
1AS5022	F 15059
1KS5013	14138 A/14274
1KS5014	28580/28521
291060/1524625	HM 218248/HM 218210
710019AS	65237/65500 B
710034AS	387 S/383 A
710036AS	389 A/383 A
7AS5012	495 A/493
7AS5014	2789/2729
7AS5014A	3877/3820
C1VV1215A	M 12649/M 12610
C5NN7127B	6212
C5NN7N046A	6013 2RS/C3
CS5018	580/572
DONNN7N044A	21075/21212
JD10053	F 10053
JD10337+JD10336	11163/11300 B
L29002/L29001	L 29002/L 29001
L29002/L33492	L 29002/L 33492
LA1014	6009
LA1016	6011
LA1022	6015
LA11071	6205 Z
LA11074	6205 ZZ
LA1111	6207 ZZ
LA1113	6208 ZZ
LA1115	6210
LA1120	6213
LA1121	6214
LA1205	6304
LA1209	6306
LA1211	6307
LA1213	6308
LA1214	6309
LA1291	6304 ZZ
LA1293	6210
LA1982	62208 2RS
LA2015	7210 B
LA2226	42368/42584
LA3113	NU 208 FMN/C3
LA3313	NU 308 FM
LA3409	NJ 306 FM
LA3511	N 307 FM
LA3955	NUP 308 FM/C3
LA3956	NU 2215 FM
LA3974	NU 2216 FM
LA3975	NJ 308 FM
LA3976	NJ 309 FM
LA5007	30205
LA5009	30206
LA5011	30207
LA5013	30208
LA5014	30209
LA5016	30211
LA5022	30215
LA5103	30208
LA5109	32206
LA5111	32207
LA5113	32208
LA5115	32210
LA5218	30312

OEM	FERSAGROUP
LA5313	31308
LA5315	31310
LA5318	31312
LA5938	32019 X
LA5950	32016 X
LA5951	33207
LA5955	33018
LA5990	32012 X
LA9386	NUP 309 FM
WAA4220A	LM 501349/LM 501310

Fersa

Bearings

www.fersa.com

NKE

BEARINGS

www.nke.at



**Automotive
Solutions**

www.asautosolutions.com

Contact Us

EUROPE

SPAIN

Zaragoza
Fersa Bearings HQ
fersa@fersa.com

Fersa Iberia
fersaiberia@fersa.com

AUSTRIA

Steyr
NKE Bearings HQ
office@nke.at

RUSSIA

Tyumen
Moscow
Official Distribution Center
fersa@fersa.su

NORTH AMERICA

USA

Toledo, OHIO
fersa.usa@fersa.com

SOUTH AMERICA

BRAZIL

Pinhais, Curitiba
São Paulo
fersa.brasil@fersa.com

ASIA

CHINA

Jiaxing
fersa.cn@fersa.com

Shenyang
info.cn@nke.at

